

Notice of Allowability

Application No.

10/749,092

Applicant(s)

MANNING

Examiner

Art Unit

Wilson Lee

2821

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 7/8/05.
2. ☒ The allowed claim(s) is/are 1-3 and 5-20.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 12/30/03
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


Wilson Lee
Primary Examiner
Art Unit: 2821

Allowable subject matter

Claims 1-3, 5-20 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art neither discloses nor suggests the following limitation in an anti-carcinogenic night light comprising a light for emitting a visible light emission having a wavelength between approximately 610 and approximately 760 nanometers, in combination with the remaining elements disclosed in claims 1, 6-12:

A light sensor connected between the light and the power source for switching off the light when ambient light is detected, and for switching on the light when ambient light is not detected such as required by claim 1;

A monitor sensor selected from at least one of a group consisting of: an electric power failure sensor, a smoke detector, a heat detector, an oxygen detector, a carbon dioxide detector, a carbon monoxide detector, a radon detector, a propane detector, a radiological substance detector, a bacteriological substance detector, a noxious fume detector, a poisonous gas detector, and a sound detector; and an alarm for being triggered when a pre-selected threshold level is detected by the monitor sensor such as required by claim 6;

A refrigerator door for mounting the light inside of the refrigerator door, so that the light activates when the refrigerator door is opened such as required by claim 8;

A clock face over the emission from the light for supplying visible light to the clock face such as required by claim 9;

Art Unit: 2821

A wrist watch face over the emission from the light, for supplying visible light to the wrist watch face an adapter for attaching the anti-carcinogenic light to an existing night light, and for converting the existing night light to emit visible light solely between the wavelength of approximately 610 to approximately 760 nanometers such as required by claim 10;

Preventing disruptions of secretions of pineal glands of sleeping, sleepy or dozing humans and animals that are located in the darkened or semi-darkened environments where the night light is located such as required by claim 12.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Wilson Lee whose telephone number is (571) 272-1824.

Papers related to Technology Center 2800 applications may be submitted to Technology Center 2800 by facsimile transmission. Any transmission not to be considered an official response must be clearly marked "DRAFT". The official fax number is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Retrieval (PAIR) system. Status information for published

Art Unit: 2821

applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in cursive script, appearing to read "Wilson Lee", is written over a horizontal line.

Wilson Lee
Primary Examiner
U.S. Patent & Trademark Office

9/18/05